



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

G. L. Higby gave an average specific gravity of 1.0295. Two samples of a Jersey cow's milk sent by the commissioner of agriculture marked 1.033. The milk from Mr. W. Blair, of a cow fed principally on ensilage, twenty-two samples, gave specific gravity 1.0318; same cow fed 'chop food,' fifteen analyses, 1.310. It is a very common practice to remove the cream, and then add water until the milk is reduced to its original density. For this reason the use of the lactometer for determining the purity of milk may lead to serious error. It is also true that perfectly genuine milk may vary greatly in density. The first of the milking is always poorer in cream, and therefore denser, than the last. Unless, therefore, the conditions under which the sample of milk is obtained are known, the number expressing its density is not conclusive in respect to its genuineness.

The volume of cream which a given milk will afford depends on many conditions. Transportation, shape of vessel, temperature, and time allowed for cream to rise, are the chief causes which affect the cream volume. A remarkable decrease in the volume of cream has also been noticed in milk samples purchased in open market. Thirteen samples bought in open market showed a percentage of cream of seven. Thirty-four samples bought of the dairyman, and known to be genuine, gave fifteen per cent of cream by volume. This curious phenomenon will certainly be of interest to milk-buyers.

The fat in a milk is not always in proportion to the volumetric percentage of cream: therefore the determination of the fat (ether extract) gives a better index of the butter-making value of the milk than is afforded by the volume of the cream alone. In a hundred and seven analyses the average percentage of fat was nearly five.

The sugar is the most constant constituent of milk. Over two hundred analyses show an average percentage of sugar of milk of four and six-tenths. Its determination optically is quick and accurate. It is the safest single criterion by which to judge of the purity of the sample.

The caseine of milk is composed of several albuminoids. No attempt at separation of these bodies has been made. The average percentage of albumens in American milks is markedly less than in those of other countries. In the analyses made, the average per cent is nearly three and a half. These analyses show that the milks of the United States are better adapted for butter than for cheese mak-

ing. They are characterized in general by a large percentage of fat and sugar, and a lower content of albumen, than the milks of Europe. It is the intention of the bureau to extend these analyses so as to determine the localities of the country where the best milks are produced, to note the influence of change of season on the composition of the milk, and to carefully study the characteristics of the milk of different breeds of cows, and the influence of various foods thereon.

Much of the value of analytical work on milk which is done in this country is lost on account of the many different methods of analysis employed. These different methods render it impossible to compare the work of various analysts. The bureau hopes also, by a patient trial of all the most approved methods, to be able to unite the analysts of the country on that procedure which a large experience may pronounce the best.

H. W. WILEY.

---

#### NOTICE OF SOME RECENTLY DISCOVERED EFFIGY MOUNDS.

So few earthworks resembling animals in their shape are known beyond the limits of Wisconsin, that I send you an account of several which I have discovered during the past two seasons, the majority of which are situated south of St. Paul, twenty-five of them being in this state.

In the diagrams accompanying this article, I have shown the outlines of a few of the most interesting of these Minnesota effigy mounds, and here give a short description of each, with its surroundings. They are all reduced to the same scale, 1 : 500.

No. 1 is situated near the village of La Crescent, and probably represents a frog. Its greatest length is ninety-eight feet. The body is two feet high, and the head eighteen inches. Near it is a bird-effigy; and within a quarter of a mile there are five other bird-effigies, with sixty-nine round mounds and embankments. The frog is on a terrace about fifty feet above the Mississippi River; and part of the mounds are on the lower terrace, which is about thirty feet above the river.

No. 2 is on the town site of Hokah. It is situated on a terrace some seventy feet above Root River. From the extremity of the snout to the tip of the tail, its length in a right line is just sixty-two feet and a half, and the body is a foot and a half in height. There are two bird-effigies on a terrace some ten feet below this one. Formerly there existed sev-


eral other effigies, and thirty or forty mounds and embankments, on the same terrace with the birds, which have been removed in grading streets and lots.

No. 3 is near Richmond Station, on a terrace about twenty-four feet above the river. It is seventy-six feet in an air line from tip to tip of the wings; and the body, with head and tail, is forty-four feet in length. The body, to the first joint of the wings, is fifteen inches in height. Formerly a number of ordinary mounds existed in the immediate vicinity of this effigy.

No. 4 is situated near the village of Dakota,

be enumerated from all the published surveys together.

The effigies surveyed by myself, in addition to the twenty-five in Minnesota, are one in Iowa, and ninety-six in Wisconsin,—a total of a hundred and twenty-two to the present time. On critically examining their delineations, very important differences in class and style from those farther east, portrayed in Lapham's work, are discernible; so that one is irresistibly drawn to the inference, that, before generalizations of value can be made, ten times the number of facts now recorded must be gathered together. Unfortunately, however,



upon a terrace about thirty feet above the river, and is in the midst of nineteen ordinary mounds. Its length is a hundred and ten feet, and the centre of the head is two feet and a half in height. It undoubtedly represents a fish. This is the first case that has been discovered of a fish with fins.

In the limited territory hitherto examined by me in south-western Wisconsin, it would seem, from the numerous ruined effigies, that there formerly existed hundreds of such works. Judge Gale of Galesville estimated that there were fully one thousand effigies in the southern part of Trempeleau county alone; and, from my own observations, I should say a like estimate for Vernon and Crawford counties would be rather under than over the truth. Taking Judge Gale's estimate for Trempeleau county, and reducing it one-half, there would still remain more effigies in the one county than can

that fell destroyer of antiquities, the plough, annually narrows our field of research.

In conclusion, something might be said on the question of the relation between any relics contained in this class of mounds and their shapes. The fact is, however, that little, if any thing, has been understandingly done with a view to ascertain their contents. The few effigies opened along the Mississippi have shown relics and forms of interment similar to those of the common burial-mounds of their neighborhood.

T. H. LEWIS.

#### RICHET ON MENTAL SUGGESTION.

IN the *Revue philosophique* for December, Mr. Richet gives an account of some experiments in mental suggestion, and attempts to estimate their value by means of the theory of probabilities. Men-